



AHLSTROM
MUNKSJÖ

Ahlstrom-Munksjö Nano GT

Pulse-jet filtration media for gas turbines operating with fine pollution.

Quality of air entering the turbine is a significant factor in the performance and lifetime of the gas turbine. Ahlstrom-Munksjö offers a complete range of filtration media developed for gas turbine applications, to meet specific market needs in various operational environments.

Ahlstrom-Munksjö **Nano GT** portfolio is based on our market reference CellTech GT or Synthetic GT corrugated filtration media, but coated with electrospun nanofibers on the upstream side.

With a self-supported structure, it combines leading performance in pleatability, with optimal mechanical filtration at low pressure drop and excellent self-cleaning behaviour, even with fine pollution.

Ahlstrom-Munksjö **Nano GT** delivers excellent protection of the gas turbine and long life time for both dry and wet environments.

Benefits

- ☑ **Offers ePM1 80% (ISO16890) efficiency** – delivering excellent protection of gas turbine against fine dust.
- ☑ **Delivers lowest level of pressure drop** – minimizing energy consumption.
- ☑ **Optimal back-pulsing behaviour** – delivering longer time between service intervals.
- ☑ **Covers dry & wet environmental conditions** – available with CellTech and Synthetic corrugated base media, offering ideal performance for pleatability and durability.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://ahlstrom.nt-rt.ru/> || ame@nt-rt.ru

Ahlstrom-Munksjö Nano GT

Nano GT offering is reaching F9 (EN779:2012) / ePM1 80% (ISO16890) at very low pressure drop. It delivers up to 4 times more particulate removal of submicron particles (PM1) than a more traditional M5 material without significant increase of pressure drop, making it our recommended option for environments with fine pollution. Additionally, the nano layer supports very good pulse-jet cleaning behavior, due to predominant surface filtration phenomena.

NP70 is our main **Nano GT** reference designed for dry environment, combining a CellTech GT base media (cellulose/polyester fiber blend, treated with water repellent chemistry) with a nano layer, delivering consistent behavior along the filter life time.

AK4560NANCS2WR is our main **Nano GT** reference designed for humid environment, combining a Synthetic GT base media (full synthetic fiber blend, treated with water repellent chemistry) with an upgraded nano layer, delivering excellent performances and durability even in high humidity conditions.

Both **Nano GT** references have a deep corrugation which guarantees excellent processing on rotary pleaters and enhanced pleat stability. Flame retardant feature technically available on demand.

Ahlstrom-Munksjö Nano GT – Key Grade Characteristics

Grades	Media Design	Basis Weight	Efficiency Class		Thickness	Corrugation Depth	Air Permeability	MD Stiffness
		g/m ²	EN779-2012	ISO16890	µm	µm	L/m ² /s @200 Pa	g
NP 70	Cellulose/synthetic + nanofibers	120	F9	ePM1 80%	320	440	145	4.0
NP 70 FR	Cellulose/synthetic FR (F1) + nanofibers	130	F9	ePM1 80%	360	450	110	3.7
AK4560NANCS2WR	100% synthetic + nanofibers	117	F9	ePM1 80%	620	430	239	1.9

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06

Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81
 Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Россия (495)268-04-70

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Казахстан (772)734-952-31

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

<https://ahlstrom.nt-rt.ru/> || ame@nt-rt.ru